



# Final Test Report

## WDD 90/10 US-Standard, FP 700 ME



**Sample Description:** Plumage


**Shipped By:** Collected by IDFL collector\_LC

**Filling Label:**

**Sample Identification:** WDD 90/10 US-Standard, FP 700 ME (steam-IDFB 10B)

PO#: FYB-171555

FILL Power:700



This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at [www.idfl.com](http://www.idfl.com).

### IDFL LABORATORY AND INSTITUTE


**IDFL**  
1455 South 1100 East  
Salt Lake City, UT 84105  
USA  
Tel: +1 801 467 7611  
email: [info@idfl.com](mailto:info@idfl.com)

**IDFL EUROPE AG**  
Zürcherstrasse 282  
CH-8500 Frauenfeld  
Switzerland  
Tel: +41 52 765 1574  
email: [europa@idfl.com](mailto:europa@idfl.com)

**IDFL CHINA**  
Tonghui Mid-Road 688, Xiaoshan,  
Hangzhou Zhejiang 311200  
China  
Tel: +86 571 8273 6561  
email: [china@idfl.com](mailto:china@idfl.com)

**IDFL TAIPEI**  
3F/4F., No. 163, Sec. 2, Wenhua Rd.,  
Banqiao District, New Taipei City  
Taiwan  
Tel: +886 2 2259 1178  
email: [taiwan@idfl.com](mailto:taiwan@idfl.com)

Security # 5281726519 e-Signature



[www.idfl.com](http://www.idfl.com)  
Page: 1 of 2  
Client: 95  
TP-6732  
Sample: 1 of 1



# Final Test Report

WDD 90/10 US-Standard, FP 700 ME



## Content Analysis IDFB-3 - USA Report Format

<b>Down Cluster</b>	90.2%
<b>Down Fiber</b>	4.0%
<b>Feather Fiber</b>	2.5%
<b>Waterfowl Feathers</b>	2.0%
<b>Broken / Damaged Feathers</b>	0.9%
<b>Quill</b>	0.0%
<b>Landfowl</b>	0.3%
<b>Residue</b>	0.1%
<b>Total</b>	100.0%

## Species IDFB-12

<b>Goose Down</b>	0%
<b>Duck Down</b>	100%
<b>Goose Feathers</b>	0%
<b>Duck Feathers</b>	100%
<b>Total Goose</b>	0%
<b>Total Duck</b>	100%

## Fill Power

Method	Conditioning	Final
IDFB/Lorch Cylinder (in <sup>3</sup> /30g)	Steam IDFB-10-B	750

## Cleanliness Evaluation

<b>Oxygen IDFB-7</b>	1.6 mg/100g
<b>Turbidity IDFB-11-B</b>	1000+ mm
<b>IDFB-11-A</b>	0.43 NTU

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at [www.idfl.com](http://www.idfl.com).

### IDFL LABORATORY AND INSTITUTE

Security # 5281726519 e-Signature

**IDFL**  
 1455 South 1100 East  
 Salt Lake City, UT 84105  
 USA  
 Tel: +1 801 467 7611  
 email: [info@idfl.com](mailto:info@idfl.com)

**IDFL EUROPE AG**  
 Zürcherstrasse 282  
 CH-8500 Frauenfeld  
 Switzerland  
 Tel: +41 52 765 1574  
 email: [europa@idfl.com](mailto:europa@idfl.com)

**IDFL CHINA**  
 Tonghui Mid-Road 688, Xiaoshan,  
 Hangzhou Zhejiang 311200  
 China  
 Tel: +86 571 8273 6561  
 email: [china@idfl.com](mailto:china@idfl.com)

**IDFL TAIPEI**  
 3F/4F., No. 163, Sec. 2, Wenhua Rd.,  
 Banqiao District, New Taipei City  
 Taiwan  
 Tel: +886 2 2259 1178  
 email: [taiwan@idfl.com](mailto:taiwan@idfl.com)

[www.idfl.com](http://www.idfl.com)  
 Page: 2 of 2  
 Client: 95  
 TP-6732  
 Sample: 1 of 1





# USA-2000 Labeling Standards Evaluation

IDFL Test Report #18-257824

## Sample Description: Plumage

Sample Identification: WDD 90/10 US-Standard, FP 700 ME (steam-IDFB 10B)  
PO#: FYB-171555  
FILL Power:700

Sample Labeled As: IDFL assumes a "90% Down" label for evaluation purposes.

	Content Components	USA 2000 Label Requirements	Test Results	Pass/ Fail
<b>Content Requirements</b>	Down Cluster	Min 90.0%	90.2%	Pass
	Down Fiber	Max 10%	4.0%	Pass
	Feather Fiber	Max 10%	2.5%	Pass
	Broken and Damaged	Max 2.0%	0.9%	Pass
	Quill Feathers	Not Allowed	0.0%	Pass
	Landfowl Feather / Fiber	Max 2.0%	0.3%	Pass
	Residue	Max 2.0%	0.1%	Pass
	Waterfowl Feathers	N/A	2.0%	N/A
	<b>Total Species</b>	<b>Min 90% Duck</b>	<b>100%</b>	<b>Pass</b>
<b>Cleanliness Requirements</b>	Oxygen	Max 10 mg/100g	1.6	Pass
	Turbidity	Min 300	1000+	Pass
<b>Hypo-Allergenic Requirements</b>	Oxygen	Max 4.8 mg/100g	1.6	Pass
	Turbidity	Min 500	1000+	Pass
	<b>Fill Power (Steam)</b>	<b>Min 95% of 700</b>	<b>750</b>	<b>Pass</b>
	<b>Net Fill Weight</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>
	<b>Thread Count</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>

## Suggested Label based on USA-2000 Requirements:

**DUCK DOWN  
(MINIMUM 90% DOWN)**

This analysis represents (within normal testing variances) the test results from the sample(s) submitted. The analysis may not represent the entire lot, batch or production run. In no event shall IDFL be responsible or liable for any direct, indirect, punitive, incidental, special, or consequential damages whatsoever arising out of or connected with the use of, misuse of, or reliance upon such results or analysis. This test report is subject to the Terms and Conditions found at [www.idfl.com](http://www.idfl.com).

## IDFL LABORATORY AND INSTITUTE

**IDFL**  
1455 South 1100 East  
Salt Lake City, UT 84105  
USA  
Tel: +1 801 467 7611  
email: [info@idfl.com](mailto:info@idfl.com)

**IDFL EUROPE AG**  
Zürcherstrasse 282  
CH-8500 Frauenfeld  
Switzerland  
Tel: +41 52 765 1574  
email: [europe@idfl.com](mailto:europe@idfl.com)

**IDFL CHINA**  
Tonghui Mid-Road 688, Xiaoshan,  
Hangzhou Zhejiang 311200  
China  
Tel: +86 571 8273 6561  
email: [china@idfl.com](mailto:china@idfl.com)

**IDFL TAIPEI**  
3F/4F., No. 163, Sec. 2, Wenhua Rd.,  
Banqiao District, New Taipei City  
Taiwan  
Tel: +886 2 2259 1178  
email: [taiwan@idfl.com](mailto:taiwan@idfl.com)

Approved By

[www.idfl.com](http://www.idfl.com)

Page: 1 of 1

Client: 95

TP-6732

Sample: 1 of 1

